



UNITED STATES DEPARTMENT OF COMMERCE Patent and The Park Office ASSISTANT SECRETARY OF COMMERCE AND COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

	MAILING DATE OCT 0 7 1998
Jonathan W. Richards WORKMAN, NYDEGGER & SEELEY 1000 Eagle Gate Tower 60 East South Temple Salt Lake City, Utah 84111	PATENT NO.5,772,560 PATENT DATE 06-30-9
Sait Lake City, Otali 84111	ATTORNEY DOCKET NO. 13914.223

NOTIFICATION REGARDING REQUEST FOR CERTIFICATE OF CORRECTION

The Certificate of Correction requested in the patent identified above has been APPROVED with the exception indicated below. The remaining errors will be corrected as requested. The Certificate, so modified, will be issued on
A. THE CHANGES BELOW CANNOT BE INCLUDED IN THE CERTIFICATE SINCE THE REQUEST WAS FILED UNDER RULE 322:
1. Column, line, is printed in accordance with the record.
(a) The change referred to was initialed and dated by applicant before execution of the application papers.
2. In column, line, the error resulted from applicant's failure to comply with Rule 121(a), in that the precise point of entry of the amendment was omitted.
3. In column, line, the alleged error is due to applicant's failure to comply with Rule 121(b), wherein provision is made for use of <u>brackets</u> , instead of parentheses, to cancel subject matter and for the use of <u>interlineations</u> to indicate new subject matter.
4. Omission of the priority data from the patent resulted from applicant's failure to fully comply with 35 U.S.C. 119, in that:
(a) The priority data was omitted from the oath, or declaration
(b) The claim for priority was not included in the application papers.
(c) The certified copy of the foreign application was not filed.
5. Since, the inventor name(s) is/are printed in accordance with the type written signature, no correction is in order here, unless a petition is granted (See Petition filing information below).
6. The assignment data is printed in the patent in accordance with PTO-85b, submitted by applicant at time of payment of the base issue fee, no correction is in order here, unless a petition is granted (See Petition filing information below).
Any petition should be directed to the attention of the Assistant Commissioner for Patents, using the following mailing address or FAX number.
By Mail: Commissioner of Patents and Trademarks OR By FAX: (703) 308-6916 Box DAC Washington, D.C. 20231 By FAX: (703) 308-6916 Attn: Office of Petitions
7. In column, line, the error arose because Rule 1.52(a) or 1.52(b) was not complied with. Consequently, words on top of certain pages were obliterated or not legible causing the Office to provide what appeared to be the proper words.
B. THE REQUEST HAS BEEN CHANGED AS SHOWN BELOW TO COMPLY WITH THE RECORD:
1. The error complained of in column, line, occurred in column, line, where the changes will be made.
2. The change requested in has been modified by:

Х] [C. THE FOLLOWING CORRECT (S) CANNOT BE INCLUDED IN THE CERTIFICA. OR THE REASONS GIVEN BELOW:
	1	1. The word <u>"502"</u> , purported to be in figure 11, cannot be found in the printed patent.
	ו	2. The alleged error in column, line, is an editing change made in accordance with the style of the Invention Patent Manual.
	֓֞֞֞֞֞֞֞֞֞֞֞֞֞֞֞֞֓֞֞֞֞֞֞֞֓֞֞֞֞֞֞֞֞֞֞֓֞֞֞֞	3. In column, line, the alleged error is in fact a change made by the examiner and considered to be in accordance with the permissible amendments enumerated in M.P.E.P. 1302.04.
] 4	4. In the title, it is the practice to exclude words such as "Improvements in", "New", "A", "Novel", etc., from the printed patent.
]	5. Comparison of the patent in column, line, with the corresponding location in the application file reveals that there is no discrepancy.
] '	 The numbering of the claims and their dependency in the printed patent is in accordance with the renumbering of dependent claims by the examiner as as described in M.P.E.P.608.01(n).
]	7. The alledged error in column, line, is a change made in an Examiner's Amendement at time of allowance. Since no error is involved and since applicant filed no objection prior to payment of the base issue fee, the requested change will not be included in the Certificate.
] :	8. The error complained of in column, line, cannot be corrected since:
D. AD	DIT	TIONAL CORRECTIONS:
E. OT	THE	R (Fee not enclosed):
FOR A	ADD	ITIONAL INFORMATION REGARDING THIS NOTIFICATION PLEASE CONTACT:
	,	Mrs. Fran Tucker Certificates of Correction (703) 305-8081
WITH	IIN 4	WEEKS FROM MAILING DATE OF THIS NOTIFICATION
2	2	Town Allin a mo

This decision is rendered pursuant to authority delegated by the Solicitor under authority delegated to him by the Commissioner of Patents and Trademarks.

Supervisor, Certificates of Correction Branch

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 5,772,560

FORM PTO-1050 (REV. 3-75) (Modified) Copyright 1994 Legalsoft P15/REV01

DATED

June 30, 1998

INVENTOR(S): Scott R. Watterson, et al					
It is certified that error appears in the above-io	dentified patent and that said Letters Patent a				
hereby corrected as shown below:	~				
In Figure 5, referring to the motor, change "264"	'' to265:				
In Figure 8, change "399" to391-;	^				
In Figure 11, change "502" to620; \\o\ 70\	NW X				
In Figure 12, change "502" to620-;					
Figure 13, change "50" to501 🛇					
	Figure 13, both instances, change "499" to499A and499B respectively;				
In column 5, line 40, after "width" change "67L" to67W; In column 8, line 4, after "left" change "leg" tofoot; In column 8, line 13, after "feet" change "134" to34; C					
				In column 8, line 31, after "right upright" chang	
				In column 8, line 63, after "motor" change "264"	
In column 9, line 8, after "cross member" change					
In column 9, line 8, after "motor" change "264"	. / 🔾				
In column 10, line 40, delete "clamping structure					
In column 16, line 47, change "15degrees" to15					
In column 17, line 15, change "558" to556;					
In column 17, line 33, change "572" to592;					
In column 17, line 33, change 572 to592;	X				
ING ADDRESS OF SENDER:	PATENT NO. 5,772,560				
DNATHAN W. RICHARDS					
ORKMAN, NYDEGGER & SEELEY	_				
ONATHAN W. RICHARDS ORKMAN, NYDEGGER & SEELEY OO Eagle Gate Tower Deast South Temple					
ORKMAN, NYDEGGER & SEELEY	-				